



LetCo

LIQUID ENERGY TRADING COMPANY SWISS S.A.

Crude degummed Soybean Oil – non-GMO

(Product code LQS-SBZ19ANE-BK)

Product description: Product obtained by heat treatment, crushed, dehulled and conditioned non GMO soybean, which is pressed. Oil is released of sediment through sedimentation and filtering in frame filter press and that oil is stored.

Ingredients: 100% soybeans

Organoleptic characteristics:

Color	yellow-brown
Smell	Pleasant and characteristic for soybean oil, without unusual odor and without odor typical for rancidity
Taste	Without unusual taste and without taste typical for rancidity

Chemical characteristics:

Moisture	0,03-0,1 %
Insoluble impurities	0,04-0,07 %
Free fatty acid content-acidity	0,84-1,31 % oleic acid
Peroxide value	1,99 mmol/kg
Relative density(x0C/water t 200C)	0,922 (x=200C)
Refractive index(nDx0C)	1 , 4 7 3 - 1,474 (x=200C)
Saponification value	190 -191 mgKOH/g
Iodine value	122-134 g/100g
Unsaponifiable matter	0,44-0,51%
Phosphorus	0,025-0,0758 %
Phosphatides	0,63-1,9 %
Flashpoint limits test at 1210C	no flash
GMO	<0,9

Toxic substances:

Dioxin	0,5-0,75ng/kg
Sum of dioxins and dioxin like PCB	max 1,5 ng/kg
Dioxin like PCB	max 0,5 ng/kg

Hydrocarbons(C10-C40)	400mg/kg
Polycyclic Aromatic Hydrocarbons(PAH)	160-200µg/kg

Pesticides:

Alfa isomer	max 0,2mg/kg
Beta isomer	max 0,1mg/kg
Gama isomer(lindan)	max 2,0 mg/kg
Hexachlorobenzene(HCB)	max 0,2mg/kg
Endrin(sum of endrin and deltaketo-endrin)	max 0,05mg/kg
Endosulfan (sum of alf and beta isomers and of endosulfan sulfate)	max 1,0mg/kg
DDT(sum of DDT, DDD and DDE –isomers)	max 0,5mg/kg
Clethodim	10 mg/kg
Thifensulfuron-methyl	0,05 mg/kg
Bentazone	0,1 mg/kg

Fatty acid composition (%m/m)

C16:0	10,2- 13,6
C18:0	4,5-7,1
C18:1	21,2-23,25
C18:2	46,3-53,28
C18:3	8,3-9,0
C 20:0	2,2
C 20:1	0,3-0,6
Saturated fatty acids	14,72-22,9
Monounsaturated fatty acids	21,8-23,65
Polyunsaturated fatty acids	55,3-61,61

Terms of use:

Product for further processing as a feedstock in the manufacture of ready-made mixtures for animal feeding, as well as raw materials in paint and varnish industry, and in biodiesel production.

Storage conditions:

It is recommended to store in tanks where product will not be in contact with moisture and high temperature and where will be protected from entry of rodents, insects, birds and other animals.

Shelf life:

12 months

Packaging:

Bulk

Complies with applicable standard and EU regulations

Legal provisions and relevant standard GMP+B2(2010), GMP+BA1, GMP+BA4, requirements(EU R 68/2013, 767/2009, EU R 1829/2003, 574/2011,744/2012,1275/2013, 277/2012), costumer requirements

BSE/TSE statement:

Product doesn't contain ingredients with animal origin

Traceability:

Established in all phases of production, storage and transportation of ingredient and final product.

Product safety status:

Product is safe for labelled intended use. Safety Data Sheet available on request.

Liability

The information contained herein is based on technical data that Liquid Energy Trading Company Swiss SA (later on called LetCo) believes to be reliable and accurate, but disclaims any warrant or guarantee, express or implied. LetCo reserves the right to change information contained herein without prior notice. Any information included herein taken solely or as a whole, does not suggest in any way the product is of satisfactory quality or is adequate for a particular purpose. The purchasing party is not released from the burden of carrying out his own tests and experiments. Because conditions of use of this product are outside our control, LetCo excludes any legal or other liability for the use of this information or any part of it, whether or not based on LetCos negligence, and therefore LetCo shall not be liable for any damages (special, direct, indirect, consequential damages) relating to the use of this information or the use of the product referred herein, solely or in combination with other products. Consequently all liability on the part of LetCo is excluded. Furthermore, our sales and delivery conditions will apply accordingly.

Via Trevano 55c · CH-6900 Lugano · Switzerland

Tel +41-91-7439713 · Fax +41-91-7439715 · trade@liquid.energy.ch · www.liquid-energy.ch